FROM-BEUSSE BROWNLEE ET AL

BEUSSE BROWNLEE WOLTER MORA & MAIRE, P.A.

JAMES H. BRUSSK JACKSON O. BROWNINK JOHN L. DEANGELIS, JR. DAVID G. MAIRE CHRISTINE Q. MCLEOD ENRIQUE J. MORA NORM AN A. NIXON TRKKY M. SANKS W. DAVID SAKTOR TIMOTHY H. VAN DYKE

390 N. ORANGE AVENUE, SUITE 2500 ORIANDO, FLORIDA 32801 TELEPHONE (407) 926-7700 FACSIMILE (407) 926-7720 WWW.IPT.AWFL.COM

OF COUNSEL IOSEPH FISCHER

WRITER'S DIRECT DIAL/EMAIL (407) 926-7727 jfischer@iplawfl.com

RECEIVED CENTRAL FAX CENTER

TO

ROBERT L. WOLTER

Commissioner for Patents

COMPANY

USPTO

DEC U 8 2005

FAX No.

1-571-273-8300

No of PAGES

10 (including cover sheet)

FROM DATE RE

Joseph Fischer December 8, 2005

Serial Number 10/820,090; Filed 04/07/2005

ATTY. DOCKET NO: 065913-002

VIA FACSIMILE ONLY

Attached please find for entry into the above-referenced application:

1) Reply/Response Under CFR 1.111 With Amendment (9 pages).

Yours truly.

Joseph Fischer Reg. #51,210

<u>Certificate of Transmission</u>

I hereby certify that this correspondence is being facsimile transmitted to the United States Patent and Trademark Office, Fax No. 571-273-8300 on December 8, 2005.

Certificate of Facsimile

I hereby certify that this correspondence is being Forwarded to Fax No. 571-273-8300 and addressed to the Commissioner for Patents, MAIL STOP AMENDMENT, Alexandria, VA 22313-1450 on December 8, 2005.

RECEIVED CENTRAL FAX CENTER DEC U 8 2005

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: A	Application of:) .
Applica	ants: H. Kenneth Holyoak) Examiner: SHAW, Elizabeth Anne
Serial N	No.: 10/820,090) Group Art Unit: 3644
Filed:	04/07/2005) Confirmation No.: 7127
Title: Activated Feed Trough, Feeding Systems Incorporating Same, and Methods of Use of Same) Atty. Docket No.: 065913-002))

Mail Stop AMENDMENT Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

REPLY/RESPONSE UNDER CFR 1.111 WITH AMENDMENT

This Reply is in response to the Office Action dated as mailed September 9, 2005 and having a response due date of December 9, 2005. This is a timely Reply.

Please amend the above-identified application as follows:

Amendments to the Specification begin on page 2 of this paper.

Amendments to Claims are reflected in the listing of claims which begins on page 3 of this paper.

Remarks/Arguments begin on page 7 of this paper.